




















ENERG

енергия · ενέργεια




ENERG
енергия · ενεργεια



BAXI

LUNA CLASSIC 24





49 dB

20
kW

2019

811/2013

BAXI 7796020 - Comm. A7796020 LUNA CLASSIC 24

			
Qn Hi	4,9-20,6	4,9-24,7	kW
Pn 80/60°C	4,8-20	4,8-24	kW
Pn 50/30°C	5,2-21,8		kW
PMS	3 bar - 0,3 MPa <95 °C		
PMW	8 bar - 0,8 MPa		
D	11,5 l/min		
NOx	6		

Caldale a condensazione Kondenzační kotle
Brennwertkessel Kondenzace kotly
Kondenzációs kazán Kocsi kondenzációs
Αέρια συμπύκνωσης - κεντανασικόν κότελ
Caldale termica cu condensare condensационный котел

CE 0085-22
0085CU0338

230 V~50 Hz - 78 W - IP X5D

B₂₃ B_{23P} B₃₃ C₁₃ C₃₃ C₄₃ C₅₃ C₆₃ C₈₃ C₉₃

II 2HS3B/P	AT BG CZ EE GR LT LV RO SK
II 2HS3B/P	HU
II 2ELWL3B/P	PL

2H - G20 - 20 mbar
2H - G20 - 25 mbar (HU)
2E - G20 - 20 mbar (PL)
0 - 20% H2

2S - G25.1 - 25 mbar (HU)
 2Lw - G27 - 20 mbar (PL)
 2Ls - G2.350 - 13 mbar (PL)

3B/P - G30/G31 - 30 mbar
3B/P - G30/G31 - 50 mbar (AT)
3B/P - G30/G31 - 37 mbar (PL)



CN1=52 CN2=35


s/n: 220800001

7221539


7796020
LUNA CLASSIC 24
220800001



220800001



220800001



7796020



CN1=52 CN2=35
Mod. LUNA CLASSIC 24 matr. 220800001 (01)08022945025773(21)220800001



CN1=52 CN2=35
Mod. LUNA CLASSIC 24 matr. 220800001 (01)08022945025773(21)220800001

BAXI

Baxi S.p.A.
36061 Bassano del Grappa (VI)
Via Trozzetti, 20 - ITALIA



7669516.01