










ENERG


енергия · ενέργεια










+ 

+ 

+ 

+ 




ENERG
енергия · ενεργεια



BAXI

LUNA CLASSIC 28





51 dB

24
kW

2019

811/2013

BAXI 7796021 - Comm. A7796021 LUNA CLASSIC 28

			
Qn Hi	6,0-24,7	6,0-28,9	kW
Pn 80/60°C	5,8-24	5,8-28	kW
Pn 50/30°C	6,3-26,1		kW
PMS	3 bar - 0,3 MPa <95 °C		
PMW	8 bar - 0,8 MPa		
D	13,4 l/min		
NOx	6		

Caldale a condensazione Kondenzační kotle
Brennwertkessel Kondenzace kotly
Kondenzációs kazán Kocsi kondenzációs
Αέρια συμπύκνωσης - κενδοναζιόνεν κότελ
Caldale termica cu condensare condensационный котел

CE 0085-22
0085CU0338

230 V~50 Hz - 88 W - IP X5D

B₂₃ B_{23P} B₃₃ C₁₃ C₃₃ C₄₃ C₅₃ C₆₃ C₈₃ C₉₃

II 2HS3B/P	AT BG CZ EE GR LT LV RO SK
II 2HS3B/P	HU
II 2ELWL3B/P	PL

2H - G20 - 20 mbar
2H - G20 - 25 mbar (HU)
2E - G20 - 20 mbar (PL)
0 - 20% H2

2S - G25.1 - 25 mbar (HU)
 2Lw - G27 - 20 mbar (PL)
 2Ls - G2.350 - 13 mbar (PL)

3B/P - G30/G31 - 30 mbar
3B/P - G30/G31 - 50 mbar (AT)
3B/P - G30/G31 - 37 mbar (PL)

CN1=53 CN2=35


s/n: 220800001

7221539


7796021
LUNA CLASSIC 28
220800001



220800001



220800001



Cod.7796021



Mod. LUNA CLASSIC 28 CN1=53 CN2=35
matr. 220800001 (01)08022945025780(21)220800001



Cod.7796021



Mod. LUNA CLASSIC 28 CN1=53 CN2=35
matr. 220800001 (01)08022945025780(21)220800001




7796021



BAXI

Baxi S.p.A.
36061 Bassano del Grappa (VI)
Via Trozzetti, 20 - ITALIA



7669516.01